



**L'DOCILE**  
HEALTHCARE PRODUCTS

## PRODUCT CATALOGUE

CORPORATE  
**L'Docile Enterprise GmbH**  
Radlkofnerstrasse 2 · 81373  
München, Germany.

MIDDLE EAST, AFRICA  
& CIS DISTRIBUTOR  
**Island Gate General Trading LLC**  
P.O. Box 40015 Dubai,  
United Arab Emirates  
T: +971 4 295 9669  
F: +971 4 295 5788  
E: [info@island-gate.com](mailto:info@island-gate.com)  
[www.island-gate.com](http://www.island-gate.com)



## Body Scale LDBS3200

Using high precision strain gauge sensors that can measure weight division as low as 100 grams.

Comes with an easy to read LCD making this L'Docile body scale one of the most user-friendly operated device.

Innovative design and very comfortable tempered glass platform.



### TECHNICAL SPECIFICATION

<b>CAPACITY</b>	180kg / 396lb
<b>DIVISION</b>	100g/0.2 lb
<b>SENSOR</b>	High strain gauge German sensor
<b>DISPLAY</b>	80 x 32 mm Invisible LED HD Red digits
<b>Weight</b>	1.52 Kg
<b>POWER</b>	3 x 1.5V AAA batteries
<b>BENEFITS</b>	6mm Tempered Safety Glass ABS solid housing Auto ON / OFF Low Battery and Overload indicators

### PACKING DETAILS

<b>DIMENSIONS OF THE SCALE</b>	300 x 265 x 24 mm
<b>DIMENSIONS OF COLOR BOX</b>	350 x 304 x 42 mm
<b>CARTON SIZE</b>	430 x 363 x 320 mm
<b>PACKING</b>	6 pcs/carton
<b>NET WEIGHT</b>	9 Kg
<b>GROSS WEIGHT</b>	11 Kg

## Body Scale LDBS2000

Pristine white tempered glass, a solid ABS plastic housing greatly improves comfort and safety level when you stand on it.

Auto ON technology allows you to simply step on the scale and get your weight in seconds.

The oversized LED display makes the number bright enough that you can easily read it in the most low light areas of the bathroom or home.

This Digital Scale is not only easy to use but also extremely accurate, German engineered to the highest precision standards. The four high-gauge precision sensors ensure that you get the right measurement every time down to the nearest 100g / 0.2 lbs.



### TECHNICAL SPECIFICATION

<b>CAPACITY</b>	180kg / 396lb
<b>DIVISION</b>	100g/0.2 lb
<b>SENSOR</b>	High strain gauge German sensor
<b>DISPLAY</b>	80 x 32mm Invisible LED HD Red digits
<b>WEIGHT</b>	1.65 Kg
<b>POWER</b>	4 x 1.5V AAA batteries
<b>BENEFITS</b>	6mm Tempered Safety Glass ABS solid housing Auto ON / OFF power Low battery and Overload indicators

### PACKING DETAILS

<b>DIMENSIONS OF THE SCALE</b>	313 x 283 x 23.5 mm
<b>DIMENSIONS OF COLOR BOX</b>	345 x 303 x 38 mm
<b>CARTON SIZE</b>	400 x 358 x 320 mm
<b>PACKING</b>	10 pcs/carton
<b>NET WEIGHT</b>	16.1 Kg
<b>GROSS WEIGHT</b>	18.9 Kg

## Body Scale LDBS2020

A Smart Scale specially designed to measure your Body Weight, BMI, BFR, Muscle, Moisture, Bone Mass, BMR, Visceral Fat, Protein Rate, Body Age, Standard Weight, Body Fat, Weight Control, Weight without Fat, Muscle Weight, Protein Amount, and Obesity Degree.

Based on the analysis of your height, weight and age, the connected App keeps track of your body weight and map your progress. L'Docile step-on technology allows you to simply step onto the scale platform and receive an instant user interface experience with the best weight program.

Using high tech ITO conductive surface which transmits heat from the body to the scale, it brings more sensory space than traditional electrode plates with four metal bulges on the surface.




### TECHNICAL SPECIFICATION

<b>CAPACITY</b>	180kg / 396lb
<b>DIVISION</b>	100g/0.2 lb
<b>SENSOR</b>	High strain gauge German sensor
<b>DISPLAY</b>	67 x 32 mm Invisible LED HD white digits
<b>WEIGHT</b>	1.65 Kg
<b>POWER</b>	4 x 1.5V AAA batteries

<b>BENEFITS</b>	<ul style="list-style-type: none"> <li>Bluetooth App "AIFit"</li> <li>Direct connection to your mobile</li> <li>Connect with Android &amp; IOS smart phones</li> <li>Sync with Google Fit &amp; Apple Health Kit</li> <li>17 measurements in 1 step</li> <li>6mm ITO Tempered Safety Glass</li> <li>Baby weight mode</li> <li>Auto ON / OFF power</li> <li>Low battery and Overload indicators</li> </ul>
-----------------	---

### PACKING DETAILS

<b>DIMENSIONS OF THE SCALE</b>	313 x 283 x 24.5 mm
<b>DIMENSIONS OF COLOR BOX</b>	345 x 303 x 38 mm
<b>CARTON SIZE</b>	400 x 358 x 320 mm
<b>PACKING</b>	10 pcs/carton
<b>NET WEIGHT</b>	16.1 Kg
<b>GROSS WEIGHT</b>	18.9 Kg



## Nebulizer LDNB2320

Effective Medication Delivery  
Complete Nebulizer Kit included  
Easy Carry Handle  
Ideal for all ages  
One-Button Operation  
Latex Free



### TECHNICAL SPECIFICATIONS

<b>MODEL</b>	LDNB2320
<b>ELECTRICITY SUPPLY</b>	220VAC / 50Hz
<b>SIZE (LxWxH)</b>	220 x 163 x 97 mm
<b>WEIGHT</b>	1.40 kg
<b>MEDICATION CHAMBER CAPACITY</b>	2-8 ml
<b>NEBULIZATION RATE</b>	0.2 ml/min
<b>PARTICLE SIZE</b>	0.3 to 6 um
<b>NOISE LEVEL</b>	below 65 dBA
<b>MAXIMUM PRESSURE</b>	43.5 psi
<b>NEBULIZER FLOW RATE</b>	5.0 L
<b>COMPRESSOR FLOW RATE</b>	8-10 L
<b>MODE OF OPERATION</b>	intermittent use 30 minutes ON / 30 minutes OFF
<b>DEVICE LIFE CYCLE</b>	5 years

### MAIN CHARACTERISTICS

Class II Device (double safety insulation).

Type B Device (device with specific protection against electrical hazards).

Device not protected against water penetration

Device should not be used around flammable substances, or in the presence of a flammable anesthetic mixture with air, oxygen or nitrous oxide.

Device not suitable for use in anesthesia or pulmonary ventilation systems.



## Nebulizer LDNB2317

Effective Medication Delivery  
Complete Nebulizer Kit included  
Easy Carry Handle  
Ideal for all ages  
One-Button Operation  
Easy to Clean

### TECHNICAL SPECIFICATIONS

<b>MODEL</b>	LDNB2317
<b>ELECTRICITY SUPPLY</b>	220V AC / 50Hz
<b>SIZE (LxWxH)</b>	210 x 140 x 95 mm
<b>WEIGHT</b>	1.42 kg
<b>MEDICATION CHAMBER CAPACITY</b>	2-8 ml
<b>NEBULIZATION RATE</b>	0.2 ml/min
<b>PARTICLE SIZE</b>	0.3 to 6 um
<b>NOISE LEVEL</b>	below 65 dBA
<b>MAXIMUM PRESSURE</b>	43.5 psi
<b>NEBULIZER FLOW RATE</b>	5.0 L
<b>COMPRESSOR FLOW RATE</b>	8-10 L
<b>MODE OF OPERATION</b>	intermittent use 30 minutes ON / 30 minutes OFF
<b>DEVICE LIFE CYCLE</b>	5 years



### MAIN CHARACTERISTICS

Class II Device (double safety insulation).

Type B Device (device with specific protection against electrical hazards).

Device not protected against water penetration

Device should not be used around flammable substances, or in the presence of a flammable anesthetic mixture with air, oxygen or nitrous oxide.

Device not suitable for use in anesthesia or pulmonary ventilation systems.



## Warm Up & Cooling Plush Animals

This innovative therapy in the form of plush animals, can be put directly into the microwave or freezer and used as heating or cooling device.

These cuddly buddies are smart alternatives for hot-water bottles, thermal blankets and cooling patches. The device can be applied warm to provide relief from bellyache and muscle pain, or cold to reduce discomfort from fever and bruises.

The plush animals are washable. The inner pack can be removed and heated or cooled separately for better hygiene and safety. The inner pack contains "Maifanshi" mineral stones that hold heat and give off a pleasant, relaxing lavender scent.



### Warm Up Effect

Put in the microwave with half-full glass of water, heat at 10 seconds intervals until reaching the desired temperature. Heat for no longer than 90 seconds.

### Cooling Effect

Put the push animal or put only the removable inner pack in the freezer after wrapping it in a plastic bag. Keep it for at least an hour.



## Facial Sauna LDFS3690

Easy to use 1 button operation facial sauna. Opens the pores and leaves the skin feeling soft, supple and hydrated.

Steaming your face helps release impurities from beneath the skin's surface and has been used since ancient times to achieve younger looking skin.

This method can increase blood flow, help shed dead skin cells and loosen blackheads.

Facial saunas typically heat steam to roughly 110 degrees Fahrenheit, an optimal temperature for facial steaming, and should not be used on irritated or acne-prone skin.



### TECHNICAL SPECIFICATION

<b>DETAILS</b>	Easy operation Facial Sauna start with only 1 button
<b>SETTINGS</b>	2 settings: On / Off control
<b>CAPACITY</b>	50 ml
<b>DURATION</b>	20 minutes (max.)
<b>STEAM PLATE</b>	Aluminum
<b>SIZE (LxWxH)</b>	200 x 190 x 292 mm
<b>WEIGHT</b>	660 g
<b>RATING</b>	220-240V AC / 50Hz
<b>POWER</b>	100W
<b>FEATURES</b>	Indicator light With aroma diffuser PTC Heating Structure Measuring Cup Nasal Mask

### PACKING DETAILS

<b>DIMENSIONS OF THE GIFTBOX</b>	205 x 200 x 220 mm
<b>N.W. / G. W.</b>	12 Kg / 13.5 Kg
<b>CARTON SIZE</b>	425 x 420 x 690 mm
<b>PACKING</b>	12 pcs/carton



## Facial Sauna LDFS5110

### Instructions:

- \* Using measuring cup, pour 30 ml water carefully into the pot.
- \* Water must not exceed MAX level.
- \* Fit on mask.
- \* Wash your face as usual and pat dry.
- \* Connect to power supply (220V) and switch on the device (indicator lights up).
- \* For mild steam volume, close the steam vent in the center of the mask, for stronger steam open the steam vents fully.
- \* Steam lasts for around 3 minutes.
- \* Close your eyes while steaming your face.
- \* After steaming is complete, switch off the device and disconnect the plug.
- \* Allow your skin to relax for 5 minutes.
- \* Splash cold water onto your face and towel dry.
- \* Apply your usual skin care products.



### TECHNICAL SPECIFICATION

<b>DETAILS</b>	Facial Sauna with 1 & 2 switch to adjust the amount of steam
<b>SETTINGS</b>	2 settings: On / Off control
<b>CAPACITY</b>	30 ml
<b>DURATION</b>	13 minutes (max.)
<b>STEAM PLATE</b>	Space aluminum
<b>SIZE (LxWxH)</b>	188 x 173.5 x 244.5 mm
<b>WEIGHT</b>	416 g
<b>RATING</b>	220-240V AC / 50Hz
<b>POWER</b>	100W
<b>FEATURES</b>	PTC fast heater Boiling within 3 minutes Measuring cup Easy to clean Face Mask Inhaler

### PRECAUTIONS

- Do not immerse in water or other liquids
- Do not use while bathing or with wet hands
- Do not use over a filled sink
- If the device falls into the water disconnect the power immediately before removing it out of the water
- The device is not intended to use by persons (included children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or proper instructions concerning use of the device by a person responsible for their safety
- Unplug the device from outlet when not in use before cleaning. Do not leave the device unattended when it is operating
- If the supply cord is damaged, it must be replaced by the manufacturer or its service agent, or similarly qualified person in order to avoid a hazard
- Use appliance only for intended use, facial steaming
- To avoid any accidents, the steamer must only be used on a flat, level surface, and the power cord must not hang over the edge of the surface

## Facial Sauna LDFS5180

How is the correct way to steam the face? When preparing for a facial steam, use only distilled or spring water. Herbs and essential oils may be added for an aroma-therapy treatment tailored for your skin's needs.

Add several drops of essential oil or herbs of your choice directly into the water. If you don't have loose herbs on hand, use an herbal or green tea bag. Tie your hair back and wait for the steam to become fragrant.

Using a towel, form a tent over your head to capture steam and lean over the facial sauna. After 5 to 10 minutes, lightly exfoliate your skin and apply toner or moisturizer, if desired.



### TECHNICAL SPECIFICATION

<b>DETAILS</b>	Facial Sauna with 1 & 2 switch to adjust the amount of steam
<b>SETTINGS</b>	3 settings: 0 / 1 / 2 control
<b>CAPACITY</b>	50 ml
<b>DURATION</b>	19 minutes (max.)
<b>STEAM PLATE</b>	Teflon
<b>SIZE (LxWxH)</b>	203 x 180.5 x 286.5 mm
<b>WEIGHT</b>	668 g
<b>RATING</b>	220-240V AC / 50Hz
<b>POWER</b>	100W
<b>FEATURES</b>	Power indicator With aroma diffuser One air-conditioning Spraying high temperature Non-stick coating Easy to clean Nasal Mask

### FACE CARE

1. Mask will be steamed right on in the main assembly.
2. Ergonomic design, so that the shape of the mask match facial contour.
3. Close your eyes, lean your face to the edge of the mask, turn the valve to the left to make the steam concentrated of the face, turn the valve to the right for the steam to spread to the mask
4. Relax for 5 minutes after steam care, and then clean your face with cold water.
5. Apply your favorite skin-care products

### NASAL CARE

1. Make sure the nasal mask is placed in the main assembly.
2. Ergonomic design, so that the shape of nasal mask match your triangle coincides of your face.
3. Close triangle face to the edge of nasal mask, so that steam will full steam into the face triangle.
4. Relax yourself for 5 minutes, make the moisturizing cream infiltration to your skin, and then clean your face with cold water.
5. Apply your favorite skin-care products.

## Facial Sauna LDFS5190

If you'd like to give yourself a treat at home, include a facial sauna in your plans. It uses steam to provide deep cleaning of the pores of the face. Regular use of a facial sauna may help reduce breakouts and improve the appearance of your skin. Because they are designed to focus on your head, facial saunas are also helpful when you have congested breathing or have a cold.

### Tips

Always clean your hands thoroughly before touching your face. You may gently exfoliate your skin after using sauna and before applying moisturizer. Try placing a few drops of eucalyptus essential oil in the sauna and inhaling the steam deeply to relieve congestion. If your facial sauna stops producing steam before you have finished your sauna, turn off the unit, add more water and begin again.



### TECHNICAL SPECIFICATION

<b>DETAILS</b>	Facial Sauna with low & high steam choice
<b>SETTINGS</b>	3 settings: High / Off / Low control
<b>CAPACITY</b>	50 ml
<b>DURATION</b>	19 minutes (max.)
<b>STEAM PLATE</b>	Teflon
<b>SIZE (LxWxH)</b>	196 x 235 x 278.5 mm
<b>WEIGHT</b>	872 g
<b>RATING</b>	220-240V AC / 50Hz
<b>POWER</b>	100W
<b>FEATURES</b>	Wide facial mask High-temperature non-stick coating Easy to clean Ergonomic design nasal mask Measuring Cup Nasal Mask Face Mask

### DURATION OF STEAM

<b>SENSITIVE SKIN</b>	Not more than 10 minutes each time
<b>OILY SKIN</b>	Not more than 10-15 minutes each time
<b>DRY SKIN</b>	Not more than 8-10 minutes each time
<b>NOTE</b>	Recommended time of weekly steam care does not exceed 2-3 times